MEECO'S RED DEVIL ColorGlo Sticks & Cones

Safety Data Sheet 09.26.19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Number : 88110, 88310
Product form : Cones & Sticks

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

MEECO Manufacturing Co., Inc. 19704 60th Ave NE Suite 102

Arlington, WA 98223

1.4. Emergency telephone number

Emergency number : 206.262.8340

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Sens. 1 H317

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) : P261 - Avoid breathing dust

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear eye protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of soap and water P321 - Specific treatment (see first aid instructions on this label)

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

2.3. Other hazards

Other hazards not contributing to the

classification

: Wood dust is expected to cause respiratory irritation and sensitization, and is considered carcinogenic. When this product is used as intended, exposure to wood dust is neglible, but users are recommended to avoid dust formation. If dust is created, precautions against inhalation of particles are recommended.

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

 Name
 Product identifier
 %

 Copper Sulfate
 7758-99-8
 3 - 10

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the

doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an

unconscious person.

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.

Safety Data Sheet

First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at

least 15 minutes. If irritation develops or persists, get medical attention.

First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact

lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get

medical attention. Continue rinsing.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison

control center or medical professional. Get medical attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause an allergic skin reaction.
Symptoms/injuries after inhalation : May cause respiratory irritation.
Symptoms/injuries after skin contact : May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Water spray.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Heating may cause a fire. Material will support combustion. May be drenched with water to

reduce fire hazard. Material may smolder after it is involved in a fire. Spread material out to be

sure fire is extinguished.

Explosion hazard : Product is not explosive

Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear self-contained breathing apparatus and protective suit (see item 8).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid dust formation. Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. Evacuate area. Keep upwind.

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Sweep or shovel spills into appropriate container for disposal.

Methods for cleaning up : Place in a suitable container for disposal in accordance with the waste regulations (see Section

13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7_1 Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use appropriate

personal protection equipment (PPE). Avoid dust formation. Do not breathe dust. Keep away from sources of ignition - No smoking. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work.

7-2 Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources.

Keep container closed when not in use.

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Eye protection

Wood and Wood Dust

Remark (ACGIH) OELs not established Remark (OSHA) OELs not established

8.2, Exposure controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust

ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate

ventilation, especially in confined areas.

Personal protective equipment : Gloves. Protective goggles. Protective clothing.

Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could

occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove

supplier.

: Wear eye protection, including chemical splash goggles and a face shield when possibility

exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection : Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or

other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

11 Information on basic physical and chemical properties

Physical state : Solid

Appearance : Light brown to brown to gray colored board.

Color : No data available

Odor : Low.

Odor Threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : 232.2 °C (450 °F)

Auto-ignition temperature : 198.9 - 232.2 °C (390-450 °F)

Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 0.8 - 1.2 (H₂O = 1)
Solubility : Water: Nil

Solubility : Water: Nil

Log Pow : No data available

Log Kow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Ignition sources.

10.5. Incompatible materials

Oxidizing agents. Drying oils.

10.6. Hazardous decomposition products

Thermal decomposition in the presence of air may yield major amounts of oxides of carbon and minor amounts of oxides of sulfur and nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified.

Respiratory or skin sensitisation : Not classified. May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Wood Dust

IARC group 1 - Carcinogenic to humans

The International Agency for Research on Cancer (IARC) has classified wood dust as carcinogenic to humans (group 1). However these warnings refer to wood in dust form and do not apply to solid fire starter blocks composed of wood and wax. As such, we have not classified this product as a carcinogen in accordance with the US OSHA Hazard Communication Standard (29 CFR §1910.1200) but recommend that users avoid inhalation of product in a dust form.

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified. Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard

: Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.
Symptoms/injuries after skin contact : May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

SECTION 12: Ecological information

1 2. 1Toxicity	
Fcology - general	· No information, available

12.2. Persistence and degradability

Firelighting Squares

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Firelighting Squares

Bioaccumulative potential No information available.

12.4. Mobility in soil

Solid Fire Starter

Ecology - soil

No information available.

12.5. Other adverse effects

Other adverse effects : No data available.

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with DOT: Not hazardous for transport

Additional information

: No supplementary information available.

Other information

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Firelighting Squares

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory SARA Section 311/312 Hazard Classes

Immediate (acute) health hazard

15.2. International regulations

No additional information available.

15.3. US State regulations

WARNING! This product contains chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

Wood and Wood Dust

U.S. - California Proposition 65 Carcinogens List

U.S. - California Proposition 65 Developmental Toxicity

U.S. - California Proposition 65 Proposition 65 Proposition 65 Reproductive Toxicity Proposition 65 Reproductive Toxicity Proposition 65 Reproductive Toxicity Reproductive Toxicity -

Female Male

Yes No No No

Wood and Wood Dust

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Indication of changes: Revision 2.0.Revision date: 10/12/2018Other information: Author: ZPT.

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.

HMIS III Rating

Health : 1 Flammability : 1

Safety Data Sheet

Physical	: 0
Personal Protection	: 0

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product